THEORETICAL AND APPLIED GENETICS

Vol. 78 1989

International Journal of Breeding Research and Cell Genetics

Editorial Board

Managing Editor: G. Wenzel, Grünbach

L. Alföldi, Szeged
J. S. F. Barker, Armidale
J. Beckmann, Bet Dagan
E. J. Eisen, Raleigh, NC
Yu. Gleba, Kiev
R. Hagemann, Halle/S.
A. R. Hallauer, Ames, IA
Hu Han, Peking
A. L. Kahler, Brookings, SD
G. S. Khush, Manila
H. F. Linskens, Heidelberg
J. Mac Key, Uppsala
P. Maliga, Piscataway, NJ
F. Mechelke, Stuttgart
G. Melchers, Tübingen
B. R. Murty, New Delhi
P. L. Pfahler, Gainesville, FL
I. Potrykus, Zürich
F. Salamini, Köln-Vogelsang
K. Sittmann, Montreal
J. W. Snape, Cambridge
P. M. A. Tigerstedt, Helsinki
K. Tsunewaki, Kyoto
L. D. Van Vleck, Lincoln, NE

Springer International

International Journal of Breeding Research and Cell Genetics

Founded in 1929 as "Der Züchter", a German journal for theoretical and applied genetics. In 1966 its direction changed from national to international and from plant breeding to genetics and breeding research. The title changed in 1968 to "Theoretical and Applied Genetics". Edited by H. Stubbe from 1946 to 1976 and by H. F. Linskens 1977 to 1987 (Vol. 73).

Copyright

Submission of a manuscript implies: that the work described has not been published before (except in the form of an abstract or as part of a published lecture, review, or thesis); that it is not under consideration for publication elsewhere; that its publication has been approved by all coauthors, if any, as well as by the responsible authorities at the institute where the work has been carried out; that, if and when the manuscript is accepted for publication, the authors agree to automatic transfer of the copyright to the publisher; and that the manuscript will not be published elsewhere in any language without the consent of the copyright holders.

All articles published in this journal are protected by copyright, which covers the exclusive rights to reproduce and distribute the article (e.g., as offprints), as well as all translation rights. No material published in this journal may be reproduced photographically or stored on microfilm, in electronic data bases, video disks, etc., without first obtaining written permission from the publisher.

The use of general descriptive names, trade names, trademarks, etc., in this publication, even if not specifically identified, does not imply that these names are not protected by the relevant laws and regulations.

While the advice and information in this journal is believed to be true and accurate at the date of its going to press, neither the authors, the editors, nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Special regulations for photocopies in the USA

Photocopies may be made for personal or in-house use beyond the limitations stipulated under Section 107 or 108 of U.S. Copyright Law, provided a fee is paid. This fee is US $ 0.20 per page, or a minimum of US $ 1.00 if an article contains fewer than five pages. All fees should be paid to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA, stating the ISSN 0040-5752, the volume, and the first and last page numbers of each article copied. The copyright owner's consent does not include copying for general distribution, promotion, new works, or resale. In these cases, specific written permission must first be obtained from the publisher.

Printed in Germany – © Springer-Verlag Berlin Heidelberg 1989 · Springer-Verlag GmbH & Co. KG, D-1000 Berlin 33 · Typesetting: Graphischer Betrieb Konrad Triltsch, D-8700 Würzburg · Printers: Druckwerkstätten Oskar Zach, D-1000 Berlin 31 · Bookbinding: Buchbinderei Helm, D-1000 Berlin 30

Table of contents

Abadía J → Molina RV
Abe T, Futsuhara Y: Selection of higher regenerative callus and change in isozyme pattern in rice (*Oryza sativa* L.) 648
Aguado P → González-Julián J
Albornoz J → Santiago E
Alexander DE → Silvela L
Allan RE → Poulos JM
Ananiev EV → Sonina NV
Andersen SB → Tuvesson IKD
Arendonk JAM van, Smith C, Kennedy BW: Method to estimate genotype probabilities at individual loci in farm livestock 735
Arnoldo M → Swanson EB
Arzee-Gonen P → Vardi A
Ashmore SE, Shapcott AS: Cytogenic studies of *Haplopappus gracilis* in both callus and suspension cell cultures 249
Attewell JR → Casler MD
Autran JC → Branlard G

Baba K → Ogawa M
Bailey LG → Baum BR
Banks RG → Kinghorn BP
Baranov OK → Yermolaev VI
Barnabás B → Sági L
Barnhart D → Smith-Huerta NL
Barrera A → Silvela L
Baum BR, Bailey LG: Species relationships in the *Hordeum murinum* aggregate viewed from chloroplast DNA restriction fragment patterns 311
Bedi R → Sawhney RN
Bekkaoui F → Tautorus TE
Bell AE → Carbonell EA
Bellini C → Masson J
Benedettelli S → Lafiandra D
Benito C → Figueiras AM
Benner MS, Phillips RL, Kirihara JA, Messing JW: Genetic analysis of methionine-rich storage protein accumulation in maize 761
Bettini P → Storti E
Bezděk M → Koukalová B
Binns MR → Lin CS
Birhman RK, Kaul MLH: Flower production, male sterility and berry setting in andigena potato 884
Bleichman S → Vardi A
Blomendahl C → Gebhardt C
Bogani P → Storti E
Bonzi Morassi L → Storti E
Bothmer R von, Claesson L, Flink J, Linde-Laursen I: Triple hybridization with cultivated barley (*Hordeum vulgare* L.) 818
Bournival BL, Scott JW, Vallejos CE: An isozyme marker for resistance to race 3 of *Fusarium oxysporum* f. sp. *lycopersici* in tomato 489
Bowman CM → Lumaret R
Branlard G, Autran JC, Monneveux P: High molecular weight glutenin subunit in durum wheat (*T. durum*) 353
Brisson N → Rivard SR
Brown PTH, Yoneyama K, Lörz H: An investigation into the role of 5-Azacytidine in tissue culture 321
Buiatti M → Storti E
Burke JJ → Porter DR
Bushuk W → Friebe B

Cappadocia M → Rivard SR
Carbonell EA, Bell AE, Frey JJ: Nonadditive gene effects in populations under different methods of selection 567
Carpenter JA → Casler MD
Carver BF, Johnson BB: Partitioning of variation derived from tissue culture of winter wheat 405
Casler MD, Carpenter JA, Attewell JR: Selection strategies for developing smooth bromegrass cell wall ideotypes 775
Castiglione S → Marchesi ML
Challen MP, Elliot TJ: Segregation of genetic markers in the two-spored secondarily homothallic basidiomycete *Coprinus bilanatus* 601
Chao S, Sharp PJ, Worland AJ, Warham EJ, Koebner RMD, Gale MD: RFLP-based genetic maps of wheat homoeologous group 7 chromosomes 495
Chao S → Sharp PJ
Chen C-C → To K-Y
Chen HK, Mok MC, Shanmugasundaram S, Mok DWS: Interspecific hybridization between *Vigna radiata* (L.) Wilczek and *V. glabrescens* 641
Chen LC → Chen LFO
Chen LFO, Chen LC: Inheritance of two endosperm protein loci in rice (*Oryza sativa* L.) 788
Chen Y-C, Chourey PS: Spatial and temporal expression of the two sucrose synthase genes in maize: immunohistological evidence 553
Chen Z, Evans DA, Vasconcelos A: Use of tissue culture to bypass wheat hybrid necrosis 57
Chong SSC, Vielkind JR: Expression and fate of CAT reporter gene microinjected into fertilized medaka (*Oryzias latipes*) eggs in the form of plasmid DNA, recombinant phage particles and its DNA 369
Chourey PS → Chen Y-C
Claesson L → Bothemer R von
Comeau A → Plourde A
Connolly J → Cunningham EP
Cornu A → Raquin C
Crosby WL → Tautorus TE
Cuartero J → Molina RV
Cunningham EP, Connolly J: Efficient design of crossbreeding experiments 381

Dai X, Zhang Q: Genetic diversity of six isozyme loci in cultivated barley of Tibet 281
Datla RSS → Tautorus TE
Davey MR → Ochatt SJ
Debener T → Gebhardt C
Deren CW, Quesenberry KH: Inheritance of photoperiod-induced flowering in three photoperiodic lines of *Aeschynomene americana* L. 825
Desai S → Sharp PJ
Dhitaphichit P, Jones P, Keane EM: Nuclear and cytoplasmic gene control of resistance to loose smut (*Ustilago tritici* (Pers.) Rostr.) in wheat (*Triticum aestivum* L.) 897
Domínguez A → Santiago E
Dubey JN → Shukla RS
Duchenne M, Lejeune B, Fouillard P, Quetier F: Comparison of the organization and expression of mtDNA of fertile and male-sterile sugar beet varieties (*Beta vulgaris* L.) 633
Dumas C → Gaget M
Dunckley R → Pehu E
Dunstan DI → Tautorus TE
Dyer TA → Lumaret R

e Silva LO, Singh SP, Pastor-Corrales MA: Inheritance of resistance to bacterial blight in common bean 619
Earle ED → Jourdan PS
Earle ED → Jourdan PSL
Earle ED → Kuehnle AR
Eisen EJ → Prasetyo H
Elliot TJ → Challen MP
Ellstrand NC → Holtsford TP
Elorrieta MA → Figueiras AM
Epishin SM → Zakharova ES
Erickson LR → Swanson EB
Evans DA → Chen Z

Farcy E → Raquin C
Fautret A → Glaszmann JC
Fedak G → Molnar SJ
Fedak G → Plourde A
Feenstra WJ → Visser RGF
Feldmann P → Glaszmann JC
Figueiras AM, Elorrieta MA, Benito C: Association of four isozyme loci with a reciprocal translocation between *1R/4R* chromosomes in cultivated rye (*Secale cereale* L.) 224
Flink J → Bothemer R von
Flipse E → Vries-Uijtewaal E de

Fluhr R → Sarfatti M
Ford-Lloyd BV → Nagamine T
Fouillard P → Duchenne M
Fowke LC → Tautorus TE
Frey JJ → Carbonell EA
Friebe B, Heun M: C-banding pattern and powdery mildew resistance of *Triticum ovatum* and four *T. aestivum-T. ovatum* chromosome addition lines 417
Friebe B, Heun M, Bushuk W: Cytological characterization, powdery mildew resistance and storage protein composition of tetraploid and hexaploid *1BL/1RS* wheat-rye translocation lines 425
Friedt W → Pleines S
Frydman-Shani A → Vardi A
Futsuhara Y → Abe T

Gaget M, Villar M, Dumas C: The mentor pollen phenomenon in poplars: a new concept 129
Galán-Estella F → González-Julián J
Galau GA, Wilkins TA: Alloplasmic male sterility in AD allotetraploid *Gossypium hirsutum* upon replacement of its resident A cytoplasm with that of D species *G. harknessii* 23
Gale MD → Chao S
Gale MD → Liu CJ
Gale MD → Sharp PJ
Galun E → Vardi A
Gebhardt C, Blomendahl C, Schachtschabel U, Debener T, Salamini F, Ritter E: Identification of 2n breeding lines and 4n varieties of potato (*Solanum tuberosum*, ssp. *tuberosum*) with RFLP-fingerprints 16
Gebhardt C, Ritter E, Debener T, Schachtschabel U, Walkemeier B, Uhrig H, Salamini F: RFLP analysis and linkage mapping in *Solanum tuberosum* 65
Gecheff KI: Multiple reconstruction of barley karyotype resulting in complete cytological marking of the chromosome complement 683
Gedamu L → Misra S
Genizi A → Staub JE
Gepts P → Koenig R
Gerdemann-Knörck M → Sacristán MD
Gibson JP: Selection strategies and artificial evolution 87
Gilissen LJW → Vries-Uijtewaal E de
Gill BS → Kaleikau EK
Glaszmann JC, Fautret A, Noyer JL, Feldmann P, Lanaud C: Biochemical genetic markers in sugarcane 537
Glendinning DR: Some aspects of autotetraploid population dynamics 233
Glimelius K → Sjödin C
Globerson D → Staub JE
Goffreda JC, Mutschler MA: Inheritance of potato aphid resistance in hybrids between *Lycopersicon esculentum* and *L. pennellii* 210
Goméz-Guillamón ML → Molina RV
González-Julián J, Galán-Estella F, Aguado P: System of pleiotropic polygenes in the Cucurbitacea *Ecballium elaterium* (L.) Rich. related to durability and size of plant 544
Griend EG van de → Witsenboer HMA
Groot B de → Vries-Uijtewaal E de
Guerche P → Masson J
Gupta PK → Molnar SJ

Hancock JF → Schumann CM
Hanna WW → Lagudah ES
Herrgesell MJ → Swanson EB
Herrmann RG → Tyagi S
Hesseling-Meinders A → Visser RGF
Heun M → Friebe B
Hille J → Witsenboer HMA
Hirschberg J → Mann V
Holder DJ → Knerr LD
Holtsford TP, Ellstrand NC: Variation in outcrossing rate and population genetic structure of *Clarkia tembloriensis* (Onagraceae) 480
Huerta AJ → Smith-Huerta NL

Ishii S → Ohgawara T
Izquierdo JI → Santiago E

Jacobsen E → Visser RGF
Jaradat AA: Diversity within and between populations of two sympatrically distributed *Hordeum* species in Jordan 653
Jaradat AA: Ecotypes and genetic divergence among sympatrically distributed populations of *Hordeum vulgare* and *Hordeum spontaneum* from the xeric region of Jordan 857
Jensen J: Estimation of recombination parameters between a quantitative trait locus (QTL) and two marker gene loci 613
Johnson BB → Carver BF
Jones MGK → Pehu E
Jones P → Dhitaphichit P
Jongh de Leeuw MJ de → Neele AEF
Jourdan PS, Earle ED, Mutschler MA: Atrazine-resistant cauliflower obtained by somatic hybridization between *Brassica oleracea* and ATR-*B. napus* 271
Jourdan PSL, Earle ED, Mutschler MA: Synthesis of male sterile, triazine-resistant *Brassica napus* by somatic hybridization between cytoplasmic male sterile *B. oleracea* and atrazine-resistant *B. campestris* 445

Kaleikau EK, Sears RG, Gill BS: Control of tissue culture response in wheat (*Triticum aestivum* L.) 783
Kaleikau EK, Sears RG, Gill BS: Monosomic analysis of tissue culture response in wheat (*Triticum aestivum* L.) 625
Kamijima O → Nagato Y
Karasik GI → Yermolaev VI
Karp A → Pehu E
Katan J → Sarfatti M
Kaul MLH → Birhman RK
Keane EM → Dhitaphichit P
Keathley DE → Stine M
Kennedy BW → Arendonk JAM van
Khlebodarova TM → Yermolaev VI
Kikuchi S → Nagato Y
Kinghorn BP, Shepherd RK, Banks RG: A note on the formation of optimal composite populations 318
Kirch HH, Uhrig H, Lottspeich F, Salamini F, Thompson RD: Characterization of proteins associated with self-incompatibility in *Solanum tuberosum* 581
Kirihara JA → Benner MS
Kitano H → Nagato Y
Knerr LD, Staub JE, Holder DJ, May BP: Genetic diversity in *Cucumis sativus* L. assessed by variation at 18 allozyme coding loci 119
Kobayashi S → Ohgawara T
Koebner RMD → Chao S
Koebner RMD, Martin PK: Chromosomal control of the aminopeptidases of wheat and its close relatives 657
Koenig R, Gepts P: Allozyme diversity in wild *Phaseolus vulgaris*: further evidence for two major centers of genetic diversity 809
Kolesnikov V → Mendel RR
Koop HU → Tyagi S
Koornneef M → Weide R
Koukalová B, Reich J, Matyášek R, Kuhrová V, Bezděk M: A BamHI family of highly repeated DNA sequences of *Nicotiana tabacum* 77
Kuehnle AR, Earle ED: In vitro selection for methomyl resistance in CMS-T maize 672
Kuhrová V → Koukalová B
Kulshrestha VP: A modified pedigree method of selection 173
Kumamaru T → Ogawa M

Labarère → Salvado JC
Lafiandra D, Benedettelli S, Margiotta B, Porceddu E: Chromosomal location of gliadin coding genes in *T. aestivum* ssp. *spelta* and evidence on the lack of components controlled by *Gli-2* loci in wheat aneuploids 177
Lagudah ES, Hanna WW: Species relationship in the *Pennisetum* gene pool: enzyme polymorphism 801
Lai Y-K → To K-Y
Lanaud C → Glaszmann JC
Lancelin D → Masson J
Landry BS → Rivard SR
Lecerf M → Masson J

Lejeune B → Duchenne M
Leppard P → Tallis GM
Lin CS, Binns MR: Comparison of unpredictable environmental variation generated by year and by seeding-time factors for measuring type 4 stability 61
Linde-Laursen I → Bothemer R von
Liu CJ, Gale MD: The chromosomal location of a third set of malate dehydrogenase loci, *Mdh-3*, in wheat, barley and related species 349
Lörz H → Brown PTH
Lottspeich F → Kirch HH
Louwes KM → Neele AEF
Lumaret R, Bowman CM, Dyer TA: Autopolyploidy in *Dactylis glomerata* L.: further evidence from studies of chloroplast DNA variation 393
Lushnikova AA → Sonina NV

Maizonnier D → Raquin C
Malepszy S → Nadolska-Orczyk A
Mann V, McIntosh L, Theurer C, Hirschberg J: A new cytoplasmic male sterile genotype in the sugar beet *Beta vulgaris* L.: a molecular analysis 293
Marchesi ML, Castiglione S, Sala F: Effect of repeated DNA sequences on direct gene transfer in protoplasts of *Nicotiana plumbaginifolia* 113
Margiotta B → Lafiandra D
Martin PK → Koebner RMD
Martinelli JA → Peeters JP
Masson J, Lancelin D, Bellini C, Lecerf M, Guerche P, Pelletier G: Selection of somatic hybrids between diploid clones of potato (*Solanum tuberosum* L.) transformed by direct gene transfer 153
Matteo M → Storti E
Matveeva NM → Yermolaev VI
Matyášek R → Koukalová B
May BP → Knerr LD
McCann KP → Nagamine T
McIntosh L → Mann V
Mendel RR, Müller B, Schulze J, Kolesnikov V, Zelenin A: Delivery of foreign genes to intact barley cells by high-velocity microprojectiles 31
Messing JW → Benner MS
Misra S, Gedamu L: Heavy metal tolerant transgenic *Brassica napus* L. and *Nicotiana tabacum* L. plants 161
Mok DWS → Chen HK
Mok MC → Chen HK
Molina RV, Nuez F, Cuartero J, Goméz-Guillamón ML, Abadía J: Variability and correlations in muskmelon in relation to the cultivation method 411
Molina-Cano JL, Roca de Togores F, Royo C, Pérez A: Fastgerminating low β-glucan mutants induced in barley with improved malting quality and yield 748
Molnar SJ, Gupta PK, Fedak G, Wheatcroft R: Ribosomal DNA repeat unit polymorphism in 25 *Hordeum* species 387
Monneveux P → Branlard G
Moore K → Pehu E
Mouras A, Negrutiu I: Localization of the T-DNA on marker chromosomes in transformed tobacco cells by in situ hybridization 715
Müller B → Mendel RR
Mukhopadhyay A → Pental D
Mullakandov MR → Yermolaev VI
Murata M: Effects of auxin and cytokinin on induction of sister chromatid exchanges in cultured cells of wheat (*Triticum aestivum* L.) 521
Mutschler MA → Goffreda JC
Mutschler MA → Jourdan PS
Mutschler MA → Jourdan PSL

Nab HJ → Neele AEF
Nadolska-Orczyk A, Malepszy S: In vitro culture of *Cucumis sativus* L. 7. Genes controlling plant regeneration 836
Nagamine T, Todd GA, McCann KP, Newbury HJ, Ford-Lloyd BV: Use of restriction fragment length polymorphism to fingerprint beets at the genotype and species levels 847
Nagato Y, Kitano H, Kamijima O, Kikuchi S, Satoh H: Developmental mutants showing abnormal organ differentiation in rice embryos 11
Nayakschin AM → Yermolaev VI
Nayar SK → Sawhney RN
Neele AEF, Nab HJ, Jongh de Leeuw MJ de, Vroegop AP, Louwes KM: Optimising visual selection in early clonal generations of potato based on genetic and economic considerations 665
Negri V, Veronesi F: Evidence for the existence of 2n gametes in *Lotus tenuis* Wald. et Kit. (2n = 2x = 12): their relevance in evolution and breeding of *Lotus corniculatus* L. (2n = 4x = 24) 400
Negrutiu I → Mouras A
Newbury HJ → Nagamine T
Nguyen HT → Ou G
Nguyen HT → Porter DR
Nijdam H → Visser RGF
Nijkamp HJJ → Witsenboer HMA
Noyer JL → Glaszmann JC
Nuez F → Molina RV

Ochatt SJ, Patat-Ochatt EM, Rech EL, Davey MR, Power JB: Somatic hybridization of sexually incompatible top-fruit tree rootstocks, wild pear (*Pyrus communis* var. *pyraster* L.) and Colt cherry (*Prunus avium* × *pseudocerasus*) 35
Ogawa M, Kumamaru T, Satoh H, Omura T, Park T, Shintaku K, Baba K: Mutants for rice storage proteins. 2. Isolation and characterization of protein bodies from rice mutants 305
Ohgawara T, Kobayashi S, Ishii S, Yoshinaga K, Oiyama I: Somatic hybridization in *Citrus*: navel orange (*C. sinensis* Osb.) and grapefruit (*C. paradisi* Macf.) 609
Oiyama I → Ohgawara T
Oleo M → Smed E
Omura T → Ogawa M
Ou G, Wang WC, Nguyen HT: Inheritance of somatic embryogenesis and organ regeneration from immature embryo cultures of winter wheat 137

Park CH, Walton PD: Embryo-callus-regenerated hybrids and their colchicine-induced amphiploids between *Elymus canadensis* and *Secale cereale* 721
Park T → Ogawa M
Pastor-Corrales MA → e Silva LO
Patat-Ochatt EM → Ochatt SJ
Pauls KP → Siebel J
Pedersen S → Tuvesson IKD
Peeters JP, Martinelli JA: Hierarchical cluster analysis as a tool to manage variation in germplasm collections 42
Pehu E, Karp A, Moore K, Steele S, Dunckley R, Jones MGK: Molecular, cytogenetic and morphological characterization of somatic hybrids of dihaploid *Solanum tuberosum* and diploid *S. brevidens* 696
Pellegrini MG → Storti E
Pelletier G → Raquin C
Pelletier G → Masson J
Peloquin SJ → Watanabe K
Pental D, Pradhan AK, Mukhopadhyay A: Transmission of organelles in triploid hybrids produced by gameto-somatic fusions of two *Nicotiana* species 547
Pérez A → Molina-Cano JL
Perez de la Vega M → Rebordinos L
Phillips RL → Benner MS
Pickering RA: Plant regeneration and variants from calli derived from immature embryos of diploid barley (*Hordeum vulgare* L.) and *H. vulgare* L. × *H. bulbosum* L. crosses 105
Pilon M → Tautorus TE
Piñeiro R → Santiago E
Pleines S, Friedt W: Genetic control of linolenic acid concentration in seed oil of rapeseed (*Brassica napus* L.) 793
Plourde A, Comeau A, Fedak G, St-Pierre CA: Production and cytogenetics of hybrids of *Triticum aestiv* × *Leymus innovatus* 436
Porceddu E → Lafiandra D
Porter DR, Nguyen HT, Burke JJ: Chromosomal location of genes controlling heat shock proteins in hexaploid wheat 873
Poulos JM, Allan RE: Genetic and environmental considerations for evaluating crown position of wheat 359
Power JB → Ochatt SJ
Pradhan AK → Pental D

Prasetyo H, Eisen EJ: Correlated responses in development and distribution of fat depots in mice selected for body composition traits 217

Quesenberry KH → Deren CW
Quesenberry KH → Taylor SG
Quetier F → Duchenne M

Raquin C, Cornu A, Farcy E, Maizonnier D, Pelletier G, Vedel F: Nucleus substitution between *Petunia* species using gamma ray-induced androgenesis 337
Rebordinos L, Perez de la Vega M: Extent of genetic variability of endosperm esterase in *Triticum aestivum* L. 2n = 6x = 42 728
Rech EL → Ochatt SJ
Reich J → Koukalová B
Ritter E → Gebhardt C
Rivard SR, Cappadocia M, Vincent G, Brisson N, Landry BS: Restriction fragment length polymorphism (RFLP) analyses of plants produced by in vitro anther culture of *Solanum chacoense* Bitt 49
Roca de Togores F → Molina-Cano JL
Rodgers R → Silvela L
Royo C → Molina-Cano JL
Rubtsov NB → Yermolaev VI

Sacristán MD, Gerdemann-Knörck M, Schieder O: Incorporation of hygromycin resistance in *Brassica nigra* and its transfer to *B. napus* through asymmetric protoplast fusion 194
Sági L, Barnabás B: Evidence for cytoplasmic control of in vitro microspore embryogenesis in the anther culture of wheat (*Triticum aestivum* L.) 867
Sala F → Marchesi ML
Salamini F → Gebhardt C
Salamini F → Kirch HH
Salvado JC, Labarère J: Protein mapping and genome expression variations in the Basidiomycete *Agrocybe aegerita* 505
Santiago E, Domínguez A, Albornoz J, Piñeiro R, Izquierdo JI: Environmental sensitivity and heterosis for egg laying in *Drosophila melanogaster* 243
Sarfatti M, Katan J, Fluhr R, Zamir D: An RFLP marker in tomato linked to the *Fusarium oxysporum* resistance gene *I2* 755
Satoh H → Nagato Y
Satoh H → Ogawa M
Sawhney RN, Nayar SK, Sharma JB, Bedi R: Mechanism of durable resistance: a new approach 229
Schachtschabel U → Gebhardt C
Schieder O → Sacristán MD
Schulze J → Mendel RR
Schumann CM, Hancock JF: Paternal inheritance of plastids in *Medicago sativa* 863
Scott JW → Bournival BL
Sears BB → Stine M
Sears RG → Kaleikau EK
Serov OL → Yermolaev VI
Shanmugasundaram S → Chen HK
Shapcott AS → Ashmore SE
Sharma JB → Sawhney RN
Sharma JR → Singh SP
Sharp PJ, Chao S, Desai S, Gale MD: The isolation, characterization and application in the Triticeae of a set of wheat RFLP probes identifying each homoeologous chromosome arm 342
Sharp PJ → Chao S
Shaw DV: Genetic parameters and selection efficiency using part-records for production traits in strawberries 560
Shepherd RK → Kinghorn BP
Shilling DG → Taylor SG
Shintaku K → Ogawa M
Shukla RS, Singh CB, Dubey JN: Induced genetic variability in *Rhizobium leguminosarum* for nitrogen fixation parameters in *Vicia faba* L. 433
Shumny TV → Yermolaev VI
Siebel J, Pauls KP: A comparison of anther and microspore culture as a breeding tool in *Brassica napus* 473
Silvela L, Rodgers R, Barrera A, Alexander DE: Effect of selection intensity and population size on percent oil in maize, *Zea mays* L 298
Simeti C → Storti E
Singh CB → Shukla RS
Singh SP, Sharma JR: Genetic improvement of pyrethrum. 4. Selective divergence, heterosis and potential hybrid clones 841
Singh SP → e Silva LO
Sippell DW → Swanson EB
Sjödin C, Glimelius K: Transfer of resistance against *Phoma lingam* to *Brassica napus* by asymmetric somatic hybridization combined with toxin selection 513
Smed E, Van Geyt JPC, Oleo M: Genetical control and linkage relationships of isozyme markers in sugar beet (*B. vulgaris* L.). 1. Isocitrate dehydrogenase, adenylate kinase, phosphoglucomutase, glucose phosphate isomerase and cathodal peroxidase 97
Smith C → Arendonk JAM van
Smith-Huerta NL, Huerta AJ, Barnhart D, Waines JG: Genetic diversity in wild diploid wheats *Triticum monococcum* var. *beoticum* and *T. urartu* (Poaceae) 260
Sonina NV, Lushnikova AA, Tihonov AP, Ananiev EV: Dialect-I, species-specific repeated DNA sequence from barley, *Hordeum vulgare* 589
Spörlein B → Tyagi S
Sree Ramulu K → Vries-Uijtewaal E de
St-Pierre CA → Plourde A
Staub JE, Globerson D, Genizi A: Inheritance of seed dormancy in *Cummis sativus* var. *hardwickii* (Royle) Alef. 143
Staub JE → Knerr LD
Steele S → Pehu E
Stiekema WJ → Vries-Uijtewaal E de
Stine M, Sears BB, Keathley DE: Inheritance of plastids in interspecific hybrids of blue spruce and white spruce 768
Storti E, Bogani P, Bettini P, Bonzi Morassi L, Pellegrini MG, Matteo M, Simeti C, Buiatti M: The pleiotropic phenotype of tomato cells selected for altered response to *Fusarium oxysporium* f. sp. *lycopersici* cell wall components 689
Swanson EB, Erickson LR: Haploid transformation in *Brassica napus* using an octopine-producing strain of *Agrobacterium tumefaciens* 831
Swanson EB, Herrgesell MJ, Arnoldo M, Sippell DW, Wong RSC: Microspore mutagenesis and selection: Canola plants with field tolerance to the imidazolinones 525
Sybenga J → Vries JN de

Tai GCC: A proposal to improve the efficiency of index selection by "rounding" 798
Tallis GM, Leppard P: Internal estimation and controlled selection with applications to sheep 463
Tautorus TE, Bekkaoui F, Pilon M, Datla RSS, Crosby WL, Fowke LC, Dunstan DI: Factors affecting transient gene expression in electroporated black spruce (*Picea mariana*) and jack pine (*Pinus banksiana*) protoplasts 531
Taylor SG, Shilling DG, Quesenberry KH: In vitro selection for 2,4-D tolerance in red clover 265
Terachi T → Terauchi R
Terauchi R, Terachi T, Tsunewaki K: Physical map of chloroplast DNA of aerial yam, *Dioscorea bulbifera* L. 1
Theurer C → Mann V
Thompson RD → Kirch HH
Tiersma JB → Witsenboer HMA
Tihonov AP → Sonina NV
To K-Y, Chen C-C, Lai Y-K: Isolation and characterization of streptomycin-resistant mutants in *Nicotiana plumbaginifolia* 81
Todd GA → Nagamine T
Tsunewaki K → Terauchi R
Tuvesson IKD, Pedersen S, Andersen SB: Nuclear genes affecting albinism in wheat (*Triticum aestivum* L.) anther culture 879
Tyagi AK → Tyagi S

Tyagi S, Spörlein B, Tyagi AK, Herrmann RG, Koop HU: PEG- and electroporation-induced transformation in *Nicotiana tabacum*: influence of genotype on transformation frequencies 287

Uhrig H → Gebhardt C
Uhrig H → Kirch HH

Vallejos CE → Bournival BL
Van Geyt JPC → Smed E
Vardi A, Arzee-Gonen P, Frydman-Shani A, Bleichman S, Galun E: Protoplast-fusion-mediated transfer of organelles from *Microcitrus* into *Citrus* and regeneration of novel alloplasmic trees 741
Vasconcelos A → Chen Z
Vedel F → Raquin C
Veronesi F → Negri V
Vielkind JR → Chong SSC
Villar M → Gaget M
Vincent G → Rivard SR
Vinetski YuP → Zakharova ES
Visser RGF, Hesseling-Meinders A, Jacobsen E, Nijdam H, Witholt B, Feenstra WJ: Expression and inheritance of inserted markers in binary vector carrying *Agrobacterium rhizogenes*-transformed potato (*Solanum tuberosum* L.) 705
Visser RGF, Jacobsen E, Witholt B, Feenstra WJ: Efficient transformation of potato (*Solanum tuberosum* L.) using a binary vector in *Agrobacterium rhizogenes* 594
Vries JN de, Sybenga J: Meiotic behaviour of telo-tertiary compensating trisomics of rye: evaluation for use in hybrid varieties 889
Vries-Uijtewaal E de, Gilissen LJW, Flipse E, Sree Ramulu K, Stiekema WJ, Groot B de: Fate of introduced genetic markers in transformed root clones and regenerated plants of monohaploid and diploid potato genotypes 185
Vroegop AP → Neele AEF

Waines JG → Smith-Huerta NL
Walkemeier B → Gebhardt C
Walton PD → Park CH
Wang WC → Ou G
Warham EJ → Chao S
Watanabe K, Peloquin SJ: Occurrence of 2n pollen and *ps* gene frequencies in cultivated groups and their related wild species in tuberbearing *Solanums* 329
Weide R, Koornneef M, Zabel P: A simple, nondestructive spraying assay for the detection of an active kanamycin resistance gene in transgenic tomato plants 169
Weiser GC → Wells WC
Wells WC, Weiser GC: Additive genetic variance within populations derived by single-seed descent and pod-bulk descent 365
Wheatcroft R → Molnar SJ
Wilkins TA → Galau GA
Witholt B → Visser RGF
Witsenboer HMA, Griend EG van de, Tiersma JB, Nijkamp HJJ, Hille J: Tomato resistance to *Alternaria* stem canker: localization in host genotypes and functional expression compared to non-host resistance 457
Wong RSC → Swanson EB
Worland AJ → Chao S
Wu R → Zhao X
Wu T → Zhao X

Xie Y → Zhao X

Yermolaev VI, Karasik GI, Khlebodarova TM, Matveeva NM, Mullakandov MR, Nayakschin AM, Shumny TV, Rubtsov NB, Serov OL, Baranov OK: Localization of the α_2-macroglobulin gene and *Lpm* gene family on mink chromosome 9 93
Yoneyama K → Brown PTH
Yoshinaga K → Ohgawara T

Zabel P → Weide R
Zakharova ES, Epishin SM, Vinetski YuP: An attempt to elucidate the origin of cultivated soybean via comparison of nucleotide sequences encoding glycinin B_4 polypeptide of cultivated soybean, *Glycine max*, and its presumed wild progenitor, *Glycine soja* 852
Zamir D → Sarfatti M
Zelenin A → Mendel RR
Zhang Q → Dai X
Zhao X, Wu T, Xie Y, Wu R: Genome-specific repetitive sequences in the genus *Oryza* 201

Book reviews 76, 136, 152, 160, 184, 280, 456, 608, 760, 904

Table of contents Vol. 78 (1989)

Indexed in *Current Contents*